

Advancements in Endoscopic Techniques: Revolutionizing Patient Care and Surgical Precision

¹Abhishek Kumar Singh, ¹Fayyaz Husain*

¹School of Pharmacy, Desh Bhagat University, Mandi Gobindgarh, Punjab, India

Keywords

Endoscopy, Minimally Invasive Surgery, Arthroscopy, Neuroendoscopy, Therapeutic Endoscopy

Abstract

Endoscopic techniques have revolutionized diagnostic and therapeutic practices across multiple medical specialties, including orthopedics, neurology, gastroenterology, pulmonology, urology, and gynecology. Initially developed for diagnostic visualization, advancements in optics, flexible instruments, and minimally invasive approaches have expanded endoscopy's role to complex surgical interventions. These techniques offer significant benefits such as reduced surgical trauma, improved patient outcomes, faster recovery, and lower complication rates. Endoscopy is now integral to procedures like arthroscopy, neuroendoscopy, therapeutic colonoscopy, bronchoscopic lung biopsy, ureteroscopy, and hysteroscopy. Moreover, innovations in imaging, robotics, and artificial intelligence are rapidly enhancing precision and capabilities in real-time diagnosis and treatment. The growing emphasis on training, simulation, and interdisciplinary collaboration is essential to ensure safe and effective practice. As technology continues to evolve, endoscopy is poised to become a cornerstone of future medical interventions.

*Corresponding Author:

Fayyaz Husain (drfayyazhusain08@gmail.com)

Article Info

Received: 02 May 2025, Received in revised form: 17 June 2025, Accepted: 18 June 2025, Available online: 30 June 2025

ISSN: 3049-2955/The authors © 2025, under exclusive license to the Sprout Publication

DOI: <https://doi.org/10.63785/cpr.2025.1.1.171183>

1. Introduction to Endoscopic Techniques

Endoscopy refers to techniques that allow the visualization of the interior of hollow organs and body cavities with the aid of a flexible tube. The suffix “-scopy” derives from the Greek word “skopein,” meaning to view, while the prefix “endo-” originates from the Greek word “endon,” meaning in, within, or inner [1]. In medicine, the endoscope is used with an optical connect. This device is composed of glass lenses and a relayed digital camera with light source and eyepiece, allowing high magnification and visualization on a screen [2]. The endoscope is equipped with a working channel that allows instruments to be introduced into the body, enabling the execution of therapeutic procedures during direct visualization [3]. Flexibility is a distinctive characteristic of an endoscope as it mimics the natural anatomical curvatures. This feature theoretically allows the inspection of the entire digestive tract, and other hollow organs such as the bladder and uterus. Specific applications of endoscopy also facilitate the examination of otherwise inaccessible regions. These include the larynx, middle ear, nose, and pleural space. Besides the ear, fundus, and airways, exogenous rigid scopes may also allow the observation of the interior of the joint.

Manual mobilization of the endoscope requires experience and coordination but allows intracorporeal navigation in cases of induction or remission, with reduced damage to the natural ciliation of the mucosa while optimizing exploration duration [4].

The first rigid endoscopic apparatus used in animals was introduced in 1806 to examine the urethra, followed by a peritoneoscope in 1888, and a laryngoscope and otoscope in 1898. In 1930, a device was developed to visualize the stomach, allowing closure with a balloon rather than suturing. In 1940, a fiberoptic apparatus equipped with a glass lens was produced, allowing the exploration of previously inaccessible sites. The first flexible cystoscope and duodenoesophagoscope were developed in 1951 and 1952, respectively. Today, the endoscopic provision for minimally invasive surgical treatment is a standard for various procedures, including gynecological surgeries, urology, bariatrics, postoperative damage repair, and more [5].

2. Endoscopic Techniques in Orthopedics

General surgery, thoracic, gynecological or other doctors have already been using endoscopy for some time and so far, realize what has long been achieved in orthopaedics:

the unitary development of arthroscopy, the realization of surgery through a small hole, with a high precision, allowing the realization of any arthroscopic technique: diagnosis and treatment of antero, postero-inferior or superior pathologies of the joint [6]. An increasing number of scientific studies report that less invasive techniques have a lower associated complication rate and improve patient quality of life postoperatively. However, currently, academic reports refer to less invasive techniques or restricted access. Interestingly, there is no group consensus linking less invasive and restricted access techniques. In orthopedic surgery specifically, minimally invasive surgery is generally perceived as the realization of surgical techniques using restricted access [7]. Surgeons in all parts adopt the concept of MIS as synonymous with reduced trauma, less bleeding and a better postoperative recovery. No longer do we focus only on healing the surgical wound. We want to help the patients become independent more quickly. For this reason, among the small incision procedures, arthroscopy and endoscopy technique stand out for their surprising speed of recovery. An ever-growing number of pathologies, all complicated, with reconstruction techniques, are routinely being solved arthroscopically, for the advantages that minimizing the surgical trauma implies [8].

Arthroscopy surgery techniques reduce surgery time, blood loss, transfusion rate, improve security, allow a quick return to work and sports, with the associated savings. On a long-term basis, they also reduce general morbidity and mortality. However, the procedure is not a long-term solution intrinsic to the surgical team, but a learning and gradual acquisition of experience over the years. In recent years, arthroscopy has become the first technique of choice in knee surgery. It is also being increasingly used; the success rates after surgical treatment of the pathologies indicated here seem to confirm this [9].

2.1. Minimally Invasive Surgery

Minimally Invasive Surgery (MIS) can be defined as operations done through a few small cuts which allow the surgeon to remove, repair or replace damaged joints or bones. Besides the cosmetic and aesthetic advantages, it definitely reduces the postoperative pain and allows early rehabilitation preventing venous thrombo-embolism. Minimally Invasive Interfacetal Joint Surgery (MISS) is another example of the concept further brought into clinical practice being established as a successful treatment protocol for low back problems, including disc herniation, facet degeneration, fractures, and spinal instabilities with chronic pain [10].

The growing demand for innovative and less invasive surgical techniques has advanced the field of minimally invasive spinal surgery. These procedures, particularly interfacetal joint and percutaneous spinal approaches, offer significant benefits for patients by reducing trauma, shortening hospital stays, and speeding up recovery. By accessing the spine through smaller, critical entry points, these methods minimize systemic inflammatory responses and support quicker rehabilitation [11].

2.2. Arthroscopy Procedures

The advent of endoscopic techniques brought about a

reduction in surgery-related issues, both for patients and medical professionals. In knee arthroscopy, the most common minimally invasive surgery in the world, it is possible to perform different types of surgical techniques for the treatment of several intra-articular pathologies. The most common knee problems are meniscus tears and cruciate ligament lesions, both of which need surgical treatment. Knee arthroscopy has gained prominence within the last few decades. In addition to treating intra-articular knee pathologies, arthroscopy is being used for procedures to repair ganglia, remove loose bodies, and synovial disease. Knee arthroscopy is also used for surgery and revision of anterior and posterior cruciate ligament surgery, when associated with a peritendinous approach. It is projected and described as being the most common orthopedic surgical procedure, with around 2 million cases performed every year.[12] Shoulder arthroscopy, second only to knee arthroscopy in frequency, has become a widely used surgical technique for treating various shoulder conditions, such as instability, rotator cuff injuries, acromioplasty, arthrolysis, and infections. It is also employed in revision surgeries for shoulder arthroplasty. Both knee and shoulder arthroscopies are considered surgical procedures [13].

During these surgeries, images are recorded and stored in patient information systems, allowing surgeons, radiologists, and assistants to review and discuss cases in detail. This system enhances patient understanding and promotes better collaboration among healthcare professionals [14].

2.3. Benefits and Limitations

Endoscopic techniques, a key component of minimally invasive surgery, offer significant benefits in reducing tissue damage and complications while enhancing surgical outcomes. Once limited to diagnostics, these methods are now widely used for therapeutic purposes in orthopedic trauma, treating conditions like malunion, nonunion, and osteoarthritis [15]. They are well-established in shoulder, knee, hip, and spine surgeries, allowing precise interventions with minimal soft tissue damage. However, not all patients are ideal candidates—factors like lesion characteristics and comorbidities must guide selection. While these techniques have advanced orthopedic practice, they require expertise and are not universally favored among surgeons [16].

3. Endoscopic Techniques in Neurology

Over the past 30 years, advancements in MRI and endosurgical tools have significantly expanded the role of neuroendoscopy in neurosurgery. Originally used for treating intraventricular conditions, it is now widely applied to complex issues like craniosynostosis, skull base reconstruction, functional disorders (e.g., epilepsy, movement disorders), and psychiatric conditions. Neuroendoscopy supports minimally invasive biopsies, tumor resections, and CSF diversion, often reducing the risks associated with open surgery. As its applications grow rapidly, neuroendoscopy is becoming an essential tool for managing cranial, spinal, and skull base pathologies, with future progress hinging on its thoughtful integration into surgical practice and education [17].

3.1. Endoscopic Skull Base Surgery

Skull base surgery has gained prominence in both oncologic and functional neurosurgery, driven by advancements in high-definition optics and the success of endoscopic approaches for pituitary lesions. Larger tumors like craniopharyngiomas and meningiomas are now addressed with endoscopic assistance [18]. Despite being a relatively small field volume-wise, skull base surgery benefits greatly from multidisciplinary collaboration among neurosurgeons, ENT, and maxillofacial surgeons. The endonasal route offers direct access and a broad visual field, but challenges include limited space, fiber optic wear, and difficulty in maintaining optimal surgical conditions like pneumatization and decongestion [19].

3.2. Neuroendoscopy Applications

Neuroendoscopy is a minimally invasive technique used to diagnose and treat diseases within the cranial and spinal cavities [20]. This chapter reviews its historical development, key techniques, and current indications, which include intraventricular hemorrhages, tumors, cysts, pituitary lesions, craniopharyngiomas, arachnoid cysts, and spinal conditions such as hydromelia and scoliosis linked to syringomyelia. Advances in flexible endoscopes have improved access to complex lesions, enabling treatment of previously difficult cases and postoperative complications. Neuroendoscopy serves as both a primary and complementary approach, with growing relevance in brain and skull base tumor treatment [21].

3.3. Case Studies and Outcomes

Endoscopic skull base surgery (ESBS) has become a well-

established technique in modern neurosurgery, offering advantages such as improved magnification and illumination, particularly in the temporal bone area [22]. The introduction of hybrid approaches, like the combined endoscopic transnasal and microscopic transoral methods, has led to successful resection of hypopharyngeal tumors with favorable outcomes. ESBS has also facilitated innovative procedures such as bony debridement and vocal fold suturing with minimal postoperative discomfort [23]. Advances in laryngeal surgery have enabled scar-free repairs through endonasal approaches, including stabilization with titanium plates. Various techniques for treating skull base osseous defects have been reported, with endoscopic methods showing promising results, particularly in minimal maxillary sinus defects [24].

4. Endoscopic Techniques in Gastroenterology

Endoscopy has become a cornerstone of modern gastroenterology, enabling accurate diagnosis and a wide range of therapeutic procedures throughout the gastrointestinal tract. Technological advances—such as high-definition imaging, narrow band imaging, and powered instruments for dissection and hemostasis—have significantly enhanced safety, speed, and effectiveness [25]. Modern endoscopy now manages many conditions once reserved for surgery, delivering excellent outcomes. Innovations like digital virtual endoscopy and augmented reality are expanding access and redefining endoscopy's role beyond diagnostics to targeted, software-driven therapies. Overall, endoscopy has transformed gastroenterology, blending precision, science, and innovation in patient care shown in figure 1 [26].




Figure 1: Illustration of Endoscopy Techniques in Gastroenterology: This chart depicts four key endoscopic procedures Upper Endoscopy, Endoscopic Ultrasound, Capsule Endoscopy, and Colonoscopy—used for diagnosing and treating gastrointestinal conditions. Each procedure is represented with clear anatomical illustrations to highlight their respective applications.

4.1. Upper Gastrointestinal Endoscopy

Located above the diaphragm, the upper gastrointestinal (GI) tract consists of the esophagus, stomach, and the upper small intestine (mainly, the duodenum). Upper GI endoscopy usually begins in a resting, sedated patient in the left lateral decubitus position with insertion of a flexible endoscope through the oral cavity and into the pharynx. Once the esophageal sphincters are traversed, a gentle withdrawal brings the instrument into contact with the wall and mucosa of the esophagus. Sequential insufflation of air and suction of secretions allow visualization of the proximal, mid, and distal esophagus along with the cricopharyngeal and diaphragmatic muscle fibers. Careful inspection of each area during withdrawal allows precise visualization of the vast spectrum of pathologies that can occur, including gastroesophageal reflux disease, eosinophilic esophagitis, Barrett's esophagus with dysplasia, esophageal cancer, and esophageal varices. Products of the esophagus and stomach and surrounding structures should also be evaluated. The esophagus can be passed directly into the second part of the duodenum following opening of the pylorus; at the time of withdrawal, the bulb and proximal transverse duodenum can be inspected. Each portion should be examined for abnormalities, considering that gastric pathologies may mimic duodenal pathologies. Special attention should also be placed on the ampulla of Vater and Brunner glands as their pathology can sometimes lead to significant patient morbidity [27].

4.2. Colonoscopy Techniques

Colonoscopy is a minimally invasive procedure that uses a flexible tube with a camera to transmit images of the colonic mucosa for both diagnosis and treatment. It is commonly used to investigate conditions like bleeding, obstruction, tumors, polyps, Crohn's disease, and other gastrointestinal issues. Colonoscopy allows for therapeutic interventions such as biopsy, tumor removal, bleeding control, and stoma creation or reversal. The quality of colonoscopy images depends on both the scope and proper colon preparation, which includes water-cleansing systems and electrolyte solutions. While complications like perforation, bleeding, and infections are rare, early diagnosis and treatment improve recovery outcomes. Advanced techniques make colonoscopy a versatile, minimally invasive procedure with fast recovery times when used appropriately [28].

4.3. Therapeutic Endoscopy

Since the introduction of flexible fiber-optic endoscopes, therapeutic endoscopy has become a leading minimally invasive treatment for gastrointestinal diseases. Common therapeutic procedures include submucosal dissection, mucosal resection, balloon dilation, sphincterotomy, and endoscopic bariatric surgery, which are used for tumor resection, pancreatobiliary duct stone treatment, and conditions like achalasia, pancreatitis, and obesity. The growth of laparoscopic surgery has further influenced endoscopic advancements. While open or laparoscopic surgeries are still preferred for certain

diseases, ongoing research may expand endoscopy's role. Successful therapeutic endoscopy requires careful patient selection, optimal techniques, and advanced tools, offering a safer, more effective option for patients at high risk for open surgery, with the benefit of shorter recovery times [29].

5. Endoscopic Techniques in Pulmonology

Advancements in endoscopic techniques have significantly impacted pulmonology, promoting minimally invasive procedures focused on fast recovery and outpatient care. Flexible bronchoscopy, developed in the 1960s, is now a primary tool, with over 4 million procedures performed annually in the U.S. It plays a key role in diagnosing and managing pulmonary conditions like lung cancer, airway obstruction, pneumonia, foreign body aspiration, and pulmonary hemorrhage. Bronchoscopy is increasingly used for diagnosing lung cancer, utilizing methods like biopsy, bronchoalveolar lavage, and endobronchial ultrasound. The rise of three-dimensional printing and robotic-assisted bronchoscopy further enhances nodule localization and the diagnosis of peripheral lung conditions [30].

5.1. Bronchoscopy Procedures

Flexible bronchoscopy is a vital tool for diagnosing and treating various respiratory diseases, including lung cancer, pulmonary infections, and airway obstruction. It is used for procedures like bronchoalveolar lavage, biopsy, stent placement, and foreign body removal. While commonly used in lung cancer staging and ventilated patients, its small working channel limits its effectiveness in complex cases, especially with airway compromise. Virtual bronchoscopy, based on CT imaging, offers non-invasive assessment of the bronchial tree, but cannot perform biopsies or clear obstructions. It is useful for screening and in paediatric cases where conventional bronchoscopy may be challenging [31].

5.2. Endobronchial Ultrasound

Endobronchial ultrasound (EBUS) has transformed bronchoscopy imaging, allowing precise evaluation of mediastinal lymph nodes and lung lesions. Over the past two decades, EBUS has become the preferred method for diagnosing lung cancer and staging mediastinal lymph nodes, as well as detecting inflammatory and infectious diseases. Various EBUS approaches, such as convex probe, radial probe, and ultra-small flexible EBUS, have improved imaging capabilities. EBUS-TBNA (transbronchial needle aspiration) has made the procedure safer and more accurate, expanding its use to assess distal hilar lymph nodes and bronchogenic carcinoma. EBUS-TBNA has become the technique of choice for lymph node staging, especially for determining surgical resectability and guiding chemoradiotherapy in lung cancer patients [32].

5.3. Innovations in Lung Biopsy

Oxygen is essential for the body's functions, but the air we breathe also carries airborne pathogens that can harm us. The respiratory tract has protective filters to

prevent such harm, but when these filters fail, it can lead to serious issues like tumors and lung cancer, increasing the need for lung biopsies. Bronchoscopy and Virtual Bronchoscopy are key tools for diagnosing and assessing lung masses. While bronchoscopy is an invasive procedure with potential complications, advances like improved fiber optics and smaller bronchoscope diameters have enhanced its effectiveness. Additionally, ultrasound techniques have improved the identification and biopsy of bronchial lesions. Percutaneous lung biopsies, guided by fluorescent bronchography and scintigraphy, are also gaining attention for their ability to target bronchopulmonary masses effectively [33].

6. Endoscopic Techniques in Urology

Endourology, a specialty focused on using endoscopic procedures, involves accessing the urinary tract through native orifices or percutaneous access. The field has advanced significantly, particularly with miniaturization of flexible and rigid scopes. Ureteroscopy, which has been part of urology since the advent of optics, has evolved with the development of semirigid ureteroscopes and advances in optics and instrumentation. It is now used for both diagnostic purposes and for thermal ablation and fragmentation of kidney stones, which were once difficult to treat [34].

For proper stone inspection, the infundibulum and renal pelvis must be assessed. Flexible ureteroscopy is preferred for stones in the infundibulum, while semirigid ureteroscopy is used for stones in the renal pelvis. Flexible ureteroscopes, with their smaller working channels, allow for better access and easier removal of larger stones, facilitating subsequent procedures. Transurethral resection (TUR) of the bladder and urethra, once the standard treatment for tumours, has been surpassed by newer procedures like holmium laser enucleation for benign prostatic hyperplasia (BPH), thanks to advances in miniaturization and retention rates [35].

6.1. Ureteroscopy Techniques

Ureteroscopy is a common procedure in urology used to examine the ureters, and it involves the use of both flexible and rigid scopes, along with digital and standard optics. Recent advancements have introduced additional techniques like pyeloscopy and laparoscopic pyeloscopy. The chapter explores the different types of ureteroscopes, their mechanics, optics, and pricing, as well as ancillary methods such as robotic-assisted ureteroscopy and laser-assisted ureteroscopy [36].

Ureteroscopy is increasingly favored for its minimally invasive approach and is used for a variety of urological procedures. Innovations in tools like lasers, balloons, stents, cameras, and heating/cooling devices have expanded its capabilities. Ureteroscopy is now applied beyond just urolithiasis, with growing use in procedures such as pyeloplasty, ureteroureterostomy, stricture repair, tumor excision, and renal biopsy. This broadening of its use to different patient populations, including infants, children, the elderly, and those with abnormal renal structures, requires evidence-based

outcomes to fully support these adjunct procedures [37].

6.2. Endoscopic Procedures for Kidney Stones

Endoscopic-assisted treatments for urinary stones include various methods such as shock wave lithotripsy, flexible and rigid ureterorenoscopy with laser lithotripsy, percutaneous nephrolithotomy (PCNL), flexible nephroscopy, laparoscopic or robotic-assisted surgery, retroperitoneal percutaneous surgery, and robotic-PCNL. The choice of treatment depends on factors like stone size, location, urinary anatomical alterations, and comorbidities that may increase complications. Flexible ureterorenoscopy has evolved over the last three decades with advances in flexibility and miniaturized laser technology. It is indicated for stones larger than 10 mm in the proximal/middle ureter, over 5 mm in the distal ureter, and for kidney stones [38].

Percutaneous nephrolithotomy is the gold standard for treating large upper urinary tract stones (≥ 20 mm) and is also used for stones smaller than 20 mm in select patients. The procedure involves inserting an access sheath into the kidney through which a flexible nephroscope is introduced. Minimally invasive techniques, including single-access PCNL, are being increasingly adopted. The use of miniaturized optics offers better visualization while reducing the risk of injury to adjacent organs [39].

6.3. Transurethral Resection

Transurethral resection (TUR) was the first endoscopic technique to become a standard approach in urological surgery, particularly for treating benign prostatic hyperplasia and bladder tumours. Despite the advent of other less-invasive procedures, TUR remains essential in both urological oncology and functional urology due to its effectiveness. However, it is crucial to avoid performing TUR mindlessly, as socioeconomic constraints and surgical demands may lead to delays, complications, and longer recovery times. Due to its complexity, TUR is typically recommended to be performed by senior urologists, especially during residency training. Following the principle of "surgical undo," TUR cases should be carefully reviewed with a second look, especially in patients with low-risk TUR for bladder tumours (TUR-BT). Innovative techniques and management algorithms are continuously improving the procedure, and the benefits of TUR in terms of haemostasis and recovery over open surgery make it crucial for training, monitoring, and reducing complications [40].

7. Endoscopic Techniques in Gynaecology

Endoscopic techniques have significantly transformed gynaecology, offering less invasiveness and faster recovery for patients. Approximately one-quarter of gynaecological surgeries are now performed through laparoscopy, with hysteroscopy being the most common outpatient procedure. Advances in anaesthetics, high-definition cameras, and more affordable instrumentation have made these techniques the preferred choice for treating most gynaecological conditions. Laparoscopy is the gold standard for various gynaecological surgeries,

including hysterectomy, myomectomy, pelvic floor reconstruction, and the treatment of conditions like endometriosis, fibroids, ectopic pregnancies, and cysts. First introduced in 1983, laparoscopy has become increasingly common alongside hysteroscopic surgery, which is used for inspecting and treating conditions inside the uterine cavity. Hysteroscopy, which has been around since 1805 and evolved with resectoscopic approaches, has grown with advancements in optical technology, providing high-vision and digital imaging systems. Outpatient hysteroscopy offers the advantages of short-term local anesthesia, quick recovery, and lower morbidity, making it a popular choice for treating intracavitary pathologies [41].

7.1. Laparoscopy in Gynecological Surgery

In the 1960s, laparoscopy emerged as a challenge to traditional gynecological procedures like laparotomy. This technique revolutionized the field of gynecology, allowing both diagnoses and surgeries to be performed with only small incisions, typically at the umbilicus. Since the 1980s, laparoscopy has grown steadily, particularly due to advancements in optics, although energy devices have also contributed. Despite its advantages, there were initial challenges in adopting laparoscopy, including resistance to change and the lack of hands-on experience, which slowed its widespread use [42].

Endoscopic techniques are often first used for anatomical reconstruction, and later for more basic or complex procedures. Although laparoscopy is considered minimally invasive, it does carry risks and potential complications. In the United States, approximately 200,000 laparoscopic hysterectomies are performed annually. Compared to open hysterectomy, laparoscopic hysterectomy has advantages such as shorter hospital stays, reduced postoperative pain, and lower infection risk. However, it also has some drawbacks, including longer surgery times and higher costs [43].

7.2. Hysteroscopy Procedures

Hysteroscopy is a medical procedure that allows direct visualization of the inside of the uterine cavity using a hysteroscope. It is instrumental in diagnosing and localizing uterine lesions or pathologies, such as intrauterine adhesions, fibroids, and polyps. Common indications for hysteroscopy include abnormal uterine bleeding, abnormal cervical cytology results, findings of endometrial lesions in asymptomatic postmenopausal women, and abnormal findings from other methods like sonography or hysterosalpingography. During the procedure, surgical interventions can also be performed, such as polypectomy (removal of polyps), myomectomy (removal of fibroids), endomyometrial ablation (removal of the endometrium), and septum division. While other diagnostic methods, like hysterosalpingography and hysterosonography, may be used, they do not offer the same level of visualization as hysteroscopy, which makes the procedure essential for accurate diagnosis [44].

Hysteroscopy is classified into two types: diagnostic

and operative. In diagnostic hysteroscopy, the goal is to simply visualize the uterine cavity and cervical canal. In contrast, operative hysteroscopy involves the treatment of lesions inside the uterus, such as removal, division, or ablation of abnormal tissue. Hysteroscopy can often be performed as an outpatient procedure, helping reduce the burden on healthcare systems. It can be done under local, regional, or general anesthesia, depending on the complexity of the case and the patient's needs [45].

7.3. Fertility Treatments

Endoscopic techniques have had a transformative impact on fertility treatments in gynecology, enabling minimally invasive procedures to diagnose and treat various fertility-related conditions in both men and women. In women, endoscopy plays a pivotal role in identifying and managing conditions such as anovulation, endometriosis, inflammatory pelvic disease, and salpingitis, which are commonly associated with subfertility. Hysteroscopy is particularly useful for assessing and treating uterine abnormalities, such as fibroids and polyps, which can negatively affect fertility. Additionally, laparoscopy is commonly employed to diagnose and treat endometriosis, a condition that can hinder fertility by causing damage to the reproductive organs [46].

Endoscopic techniques have also revolutionized assisted reproductive technologies (ART), particularly in procedures like in vitro fertilization (IVF). For instance, the use of thin, flexible endoscopes during embryo transfer allows for more precise catheter placement into the endometrium with minimal trauma, which improves success rates. Advances in endoscopic technology have led to the development of specialized tools that facilitate safer and easier procedures, such as creating a "sky" effect within the uterus to guide instruments through narrow areas [47]. The diagnosis and treatment of Asherman syndrome, a condition characterized by intrauterine adhesions, have also been greatly enhanced by hysteroscopy. Under direct visualization, adhesions can be divided accurately, improving the chances of successful pregnancy outcomes. Additionally, laparoscopy has become the preferred method for treating endometrial polyps, fibroids, and other uterine anomalies, preventing complications like re-invasion or healing from scarring [48].

Endoscopic surgery has led to higher clinical pregnancy and live birth rates compared to traditional open surgical procedures. While debates continue about the optimal timing for embryo transfer after procedures like polypectomy or myomectomy, studies suggest that endoscopic interventions generally offer better outcomes, demonstrating the significant advancements in fertility care brought about by minimally invasive techniques [49].

8. Technological Advances in Endoscopy

Endoscopy has evolved into a more user-friendly tool in the hands of a growing number of clinicians, capable of being applied in an increasingly varied array of situations. Historically, diagnostic applications for flexible endoscopy and relevant

surgical interventions have developed along separate pathways, utilizing different levels of sophistication, but recently the possibility of carrying out minimally invasive surgery has been extended to flexible, endoscopic-assisted techniques [50]. Such procedures may be performed as a solitary approach, but frequently they are performed in association or combination with complementary surgical access to the cavity being altered, contributing important gains in terms of reduced complication rates and shortened recovery times for the patient. These techniques are beginning to penetrate a variety of fields, allowing procedures within the thoracic, abdominal, and pelvic spaces [51].

Likewise, technological advances with imaging and visualization through fiberoptics, robotic-assisted flexible endoscopy, and the incorporation of newer technologies, such as fluorescence, spectroscopy, augmented reality, and artificial intelligence, may be expected to hasten this growth and accessibility. In robotics-assisted flexible instruments, improvements in dexterity, precision, and ergonomic comfort are combined with the potential for decreased risk and success for interventionist procedures through natural orifices. 3D imaging seems to offer significant advantages in the crucial steps of visualization, orientation, and navigation during endorobotic and endoscopic procedures, such as identifying the correct points of approach, orienting the optical system, accurately mapping lesions, and determining levels of depth during surgery, with the goal of improving outcomes and decreasing complications [52].

8.1. 3D Imaging and Visualization

Imaging and visualization are central to the continued evolution of endoscopy, offering an ever-expanding array of capabilities to enhance diagnostic and therapeutic procedures. Traditional 2D endoscope-imaging systems have been widely used, but recent advancements in technology are pushing the boundaries of what can be visualized, enabling healthcare professionals to assess tissues in a more detailed and dynamic way. The ability to reconstruct 3D images from a series of 2D snapshots is a major leap forward, giving clinicians a deeper understanding of complex structures within the body. New imaging modalities like multispectral imaging, optical coherence tomography (OCT), optical-resolution photoacoustic microscopy, and photoacoustic imaging allow for incredibly detailed imaging at the cellular and even subcellular levels [53]. These techniques provide a virtually non-invasive means to visualize tissues, offering unprecedented insight into the underlying biology of various conditions. The history of 3D imaging in endoscopy dates back to 1838 when Sir Charles Wheatstone invented the stereoscope, laying the foundation for binocular vision and the eventual development of 3D imaging. Technological advances such as CCD and CMOS cameras enabled the capture of high-quality 2D images, which closely mimic human vision in terms of color and resolution. This paved the way for the development of 3D cameras, which, although still expensive and with limited applications, have been making strides in endoscopy. These 3D endoscopes are now used in

procedures such as tumor resections, allowing for better navigation in complex structures like the abdominal cavity and luminal tracts [54].

Cutting-edge technologies like 3D endoscopic optical coherence tomography and optical-resolution photoacoustic microscopy at multispectral wavelengths are pushing the resolution even further, achieving sub-micron-level details. These innovations enable in vivo imaging of tissue compartments, providing a level of detail that was previously unimaginable. As these technologies continue to advance, they will not only improve the quality of diagnostics but also contribute to more precise and effective treatments [55].

8.2. Robotic-Assisted Endoscopy

Traditional endoscopy has a limitation in that the operator cannot use multiple instruments or work in different quadrants of anatomy simultaneously. Robotic surgical systems address this by offering a master-slave model where the operator controls precisely articulated robotic instruments remotely, allowing for greater precision and flexibility. These systems provide a stereoscopic view while seated at a console and are especially useful for complex procedures requiring detailed reconstructions or removals [56].

Although robotic endoscopes have not yet been fully studied in long-term or multi-institutional biological comparisons, their reported benefits include improved precision, the removal of tremors, and enhanced movement strength. Some systems also use robotic mechanisms to assist with camera motion, restricting the field of view to the area of interest or automatically pointing the camera toward specific anatomy. Additionally, highly achromatic micro-optical systems enable clear cooperative stereo vision even in poorly lit areas. The development of 3D multi-view endoscopic techniques is aimed at further enhancing the quality of surgical images, leading to better surgical outcomes [57].

8.3. Artificial Intelligence in Endoscopy

Artificial Intelligence (AI), particularly deep learning, is becoming increasingly important in medical specialties, including endoscopy. In the realm of endoscopy, AI helps analyze images using deep neural networks, which can classify and detect complex patterns in endoscopic images. Deep learning has been propelled by advances in image datasets, computational power, and model architectures, transforming tasks like image-based classification and object detection [58].

One of the main challenges in AI applications for endoscopy is the rarity of certain events, which makes it difficult to gather large and diverse datasets. For AI to be effective, a robust set of annotated video sequences validated by expert endoscopists is necessary. Additionally, real-time feedback during procedures is crucial for AI to assist endoscopists in identifying abnormalities that could be missed, enhancing sensitivity and specificity. This technology aims to improve diagnostic accuracy and assist in

decision-making during endoscopic procedures [59].

9. Training and Education in Endoscopic Techniques

Training and education in endoscopic techniques are crucial for producing skilled and competent surgeons, especially with the rapid advancements in technology and surgical techniques. Traditionally, surgical education occurred at the bedside, but the introduction of minimally invasive surgery and endoscopic techniques has necessitated specialized training programs. These programs are particularly important for surgeons learning new skills in minimally invasive and robotic surgeries, which require precision and careful decision-making [60]. To ensure competence, surgeons are now required to undergo advanced training programs, such as the Advanced Gynecological Endoscopy Fellowship, which provides multi-specialty certification in robotic and minimally invasive techniques. This training includes risk management and complex decision-making, which are essential for handling more intricate surgeries [61].

Minimally invasive surgery offers significant advantages for patients, including faster recovery times, but the challenge lies in effectively teaching these new techniques. Currently, there are no universal standards for the curriculum in surgical fellowships, though efforts are underway to create a global consensus. Many programs involve a year-long academic center-based experience. Additionally, virtual surgical simulations are being developed to help surgeons practice complex procedures, improving their skills before performing them in real-life settings. Refresher courses and skill assessments may help experienced surgeons refine their abilities and maintain proficiency in specific techniques [62].

9.1. Curriculum Development

Minimally invasive surgery has become one of the fastest-growing fields in medicine over the past two decades, with procedures now being performed through small incisions across various medical specialties. This evolution has been driven by advances in laparoscopic surgery, which have been applied to diverse fields such as digestive surgery, gynecology, urology, thoracic surgery, and even pediatrics and otorhinolaryngology. Endoscopic techniques have thus become integral to many clinical practices, expanding beyond traditional surgical domains [63].

The equipment used in laparoscopic surgery differs from that in other endoscopic procedures, with specialized tools and scopes tailored to each specialty. The visualized anatomy and tissue manipulation also vary, depending on the field of surgery. Given these differences, specialized training is required for each medical specialty, ensuring proficiency in performing these techniques safely. Training should follow structured protocols that involve supervised learning, progressive steps, simulation, and mentored procedures. The introduction of virtual reality simulators has further enhanced training by providing a controlled environment for practice [64].

9.2. Simulation Training

Simulation training has become a crucial component in medical specialties, providing a safe, controlled environment for learning and skill development. This training helps prevent risks to patients from procedures performed by inexperienced practitioners. It offers the opportunity for repeated practice, allowing trainees to master specific techniques before applying them in real-world situations. While simulation training is widely used across various fields, there is currently no standard approach for training in endoscopic and general surgery (EGS) procedures. High-fidelity simulation has shown effectiveness in reducing learning curves and minimizing stress for trainees in many procedures. Evidence supports its use in procedures such as chest tube placement and tracheostomy. However, suitable simulators for EGS procedures remain limited, as most simulators are designed for specific tasks rather than entire procedures. Simulation training in laparoscopic surgery has seen significant advancements, helping trainees develop technical skills through structured, validated curricula [65].

While early-career fellows may have experience in open surgery, they often lack hands-on training in minimally invasive techniques. As a result, they rely on simulation technology to build proficiency in these procedures. Simulation training has been shown to enhance psychomotor skills and promote the acquisition of advanced techniques. Despite this, there is currently no definitive evidence supporting the mandatory use of simulation before performing procedures in EGS fellowships. Nonetheless, many programs are beginning to incorporate simulation into their training programs to improve outcomes [66].

9.3. Certification Programs

Endoscopic physicians must progress beyond the beginner stage of training, with physical simulation alone being insufficient to master the movement of the endoscope in patients. Essential training includes performing a minimum of fifty upper endoscopies, fifty colonoscopies, and twenty therapeutic endoscopies under supervision. This training should span two years, starting from observation and gradually progressing to hands-on experience. During this period, physicians develop the necessary skills for each procedure and learn to manage complications [67].

Once they have gained proficiency, physicians perform procedures independently, after passing an examination of knowledge and verification of skills. Certification is awarded upon successful completion. The central goal of this program is to ensure patient safety and procedural quality while adapting to advancements in endoscopic technology. The certification program is internationally recognized, with over 2400 individuals from 122 countries enrolled, and more than 4500 physicians certified [68].

10. Ethical Considerations in Endoscopic Procedures

Endoscopic techniques raise important clinical and

ethical considerations, including risk/benefit ratios, learning curves, costs, and outcomes. Physicians' performance and communication with patients are key factors, particularly as many endoscopic procedures are life-saving or aimed at alleviating symptoms like pain and bleeding. While therapeutic procedures may sometimes be performed without explicit informed consent, ethical standards dictate that patients should be thoroughly informed about the advantages, disadvantages, risks, and technical challenges of diagnostic and therapeutic endoscopy [69].

Patient safety is the top priority, and protocols are in place to ensure safety during and after procedures. However, effective communication before the procedure is just as critical. Patients may not fully understand what has been explained to them, leading to anxiety and fears. This is especially important when dealing with urgent or end-of-life decisions. Physicians must carefully assess the effectiveness and appropriateness of an endoscopic procedure before making therapeutic decisions [70].

10.1. Informed Consent

Informed consent is a fundamental ethical principle in the medical profession, emphasizing the importance of patient autonomy and decision-making. It refers to the process by which a patient voluntarily agrees to a medical procedure after receiving a comprehensive explanation of the technique involved and its potential risks. For consent to be considered valid and informed, four key conditions must be met. First, the patient must be in a coherent mental state, capable of understanding the information provided. Second, the patient must be adequately informed about the nature of the procedure, its benefits, risks, and possible alternatives. Third, the consent must be given freely, in a setting free from any pressure or coercion. Lastly, the decision must be made voluntarily, without any manipulation or undue influence. These conditions ensure that the patient's rights, dignity, and autonomy are respected throughout the medical decision-making process [71].

Textbooks generally teach that the informed consent process is an ongoing conversation that starts with the first contact with the patient. Ideally, that initial conversation should relax the patient and build trust between him and the doctor. In modern medicine, this period is usually brief and the informed consent is a formal procedure that is filled by secretaries and the real dialog remains –in most cases– only in the doctor's head. The informed consent has only a legal function and is needed only when things go wrong [72]. This is the sad reality in which medicine has landed; a reality of distrust of both parties. Few laws exist about what is necessary to inform before entering the consent process, and this may vary according to the country, but by and large, the standard is to explain the diagnosis, the procedure to be performed, the benefits and the risks, alternatives to the procedure both surgical and non-surgical. However, it must be the physician's good sense and experience to know how far the information about probabilities of success in surgical procedures, whether an endoscopy or a surgery, should be. Parents give informed consent

to their children when the child is unable to give it. In the case of incompetent adults, an advanced directive is desired. Some people will also say that presumed consent applies when the doctor is sure of what the patient would prefer if lucid [73].

10.2. Patient Safety Protocols

The advancement of endoscopic techniques, which allow for interventions of increasing complexity and sophistication, highlights the importance of patient safety advisory groups. The Surgical Safety Checklist is an essential tool in the prevention of morbidity and mortality related to surgical and invasive procedures. The application of the checklist in endoscopy allows real-time intervention by the physician or the nursing staff to prevent adverse events. Modification of the format or ongoing education is recommended to optimize its benefits [74].

Active disconfirmation is a strategy based on the concept of "backup behaviour" which has been used in general surgery and some other surgical specialties. This protocol allows the "in-charge" person to interrupt a procedure if the preparations are not appropriate, taking personal responsibility before an event of complication. At present, few protocols describe this strategy for use in endoscopy. The importance of the checklist as a tool to improve patient safety is progressively gaining acceptance in the field of endoscopy, and Spain was one of the first countries to implement it in the syllabus of the training course. We must emphasize that, although its use in our specialty is still not obligatory, its application is effective in reducing errors and complications in endoscopy and can be especially helpful in patients more prone to the development of complications. Furthermore, this checklist could be of help in difficult situations that arise on odd occasions and allow risk factors to be standardized in practice; for example, hoisting a large patient for bronchoscopy. Thus, a checklist can be of use to make the communication channels active and facilitate the transfer of information, making success more likely [75].

10.3. End-of-Life Decisions

The decision to stop life-extending treatments or forego certain measures for terminally ill patients is one of the most difficult and ethically complex choices in healthcare. These decisions, aimed at improving the quality of life in the patient's final days, may shorten life expectancy but provide relief from suffering. The decision-making process involves not only the patient but also the family, who may be more aware of the patient's fatigue. Ethical considerations include ensuring the medical team is not overly influenced by the patient's impending death, taking into account the emotional impact on the family, and recognizing that the consequences of such decisions can be painful and complex. It's important for medical professionals to carefully consider the patient's state and avoid rash decisions based on temporary feelings of euphoria [76].

11. Future Directions in Endoscopic Techniques

Endoscopic surgery has expanded to include a broader range of patients, even those with more advanced or unusual conditions, due to its growing safety. Initially, advanced resections with high risks, such as large bleeding or complex tumors, were contraindicated for endoscopy. However, recent reports from various countries show that endoscopic surgery is being successfully applied to larger resections, including for benign lesions, tumors with high malignancy suspicion, and superficial carcinoma. Despite this, some cases, such as those involving patients with chronic anticoagulation or with node-positive tumors, remain unsuitable for endoscopic surgery. Research and development in advanced instrumentation are progressing, and robotics-assisted surgery is expected to play a key role in complex resections in the future [77].

11.1. Emerging Trends

Endoscopic surgery is advancing towards more minimally invasive and versatile procedures. Innovations like thinner, flexible instruments with higher-resolution imaging and multifunctional capabilities are expanding its use across medical specialties. New technologies, such as TLD and TiMUPS systems, promise further less invasive applications. The focus is on damage control surgery, using minimally invasive techniques for diagnostic and therapeutic purposes in critical situations, like gastrointestinal bleeding or trauma. These advancements are enhancing safety and broadening the range of conditions that can be treated effectively with endoscopy [78].

11.2. Research and Development

The future of endoscopy is set for groundbreaking advancements, pushing the boundaries of current equipment and techniques. As the field moves toward less invasive procedures, new tools and technologies will be developed to enhance clinicians' understanding of human anatomy and provide more effective treatment options. Innovations will include advanced imaging modalities, optoelectronic and sensor technologies, miniaturization through surgical robotics, capsule endoscopy, and smarter surveillance methods in various environments [79].

Additionally, technologies like unmanned ground or aerial vehicles (UGVs or UAVs) may enable real-time data gathering and communication, pushing the limits of current endoscopic capabilities. New, safer, and more efficient diagnostic and therapeutic tools, including in-vivo screens for non-endoluminal surveillance, will revolutionize the field. The focus will be on devices and procedures that have reached advanced stages of research and development, with the potential for imminent commercial deployment [80].

11.3. Global Perspectives

The use of minimally invasive endoscopic techniques has significantly increased globally, with growing indications in both diagnostic and therapeutic fields. Interestingly, there are global differences in the

adoption of these techniques. In the USA, the volume of upper GI endoscopy has increased, while in the EU, the growth has been more gradual. In Japan, however, there is still a demand for surgical interventions, even though many patients may have already undergone operations. For lower GI endoscopy, the volume has steadily increased across the USA, EU, and Japan. Colorectal cancer screening colonoscopies have risen sharply, though surveillance colonoscopies for patients with conditions like ulcerative colitis or those with a history of colorectal cancer recurrence have remained stable [81].

In China, there is growing concern over the rising incidence of colorectal cancer. Notably, endoscopically assisted transanal approaches for lower rectal surgery have shown promise, providing a safe and effective method that preserves the sphincter muscle while enabling complete tumor excision and removal of surrounding tissues. With advances in endoscopic training, robotic surgery, and techniques like natural orifice transluminal endoscopic surgery, the use of endoscopy is expected to expand further in the future, with increased interest in its broader application. of the endoscopic closure technique, which is the most challenging technique in endoscopy [82].

Conclusion

Endoscopic techniques have emerged as transformative tools in modern medicine, breaking traditional boundaries between diagnostic and surgical disciplines. The integration of flexible and rigid endoscopy into diverse specialties has enhanced the safety, efficacy, and recovery profiles of numerous procedures. This multidisciplinary expansion necessitates the continuous advancement of physician training and the development of dedicated interventional subspecialties. While technology such as robotics, high-definition imaging, and AI is accelerating progress, the core of success remains rooted in skilled execution, informed consent, ethical practice, and patient-centered care. Looking ahead, further innovations and global collaboration will be essential to refine endoscopic approaches and extend their benefits to wider patient populations across increasingly complex clinical scenarios.

Acknowledgment

The authors express their gratitude to the School of Pharmacy, Desh Bhagat University, Mandi Gobindgarh, Punjab, for providing the necessary support and resources to carry out this review successfully.

Author Contributions

A.K.S. Conceptualized the study, **F.H.** Prepared the manuscript draft.

Source of Funding

There is no funding available to conduct this study.

Conflicts of Interest

No conflicts of interest are disclosed by the authors.

1. Santacroce, G., et al., Present and future of endoscopy precision for inflammatory bowel

Reference

- disease. *Digestive Endoscopy*, 2024. 36(3): p. 292-304.
2. Ma, L. and B. Fei, Comprehensive review of surgical microscopes: technology development and medical applications. *J Biomed Opt*, 2021. 26(1).
3. Lee, C.M., et al., Scanning fiber endoscopy with highly flexible, 1 mm catheter scopes for wide-field, full-color imaging. *J Biophotonics*, 2010. 3(5-6): p. 385-407.
4. Cao, Q., et al., Robotic wireless capsule endoscopy: recent advances and upcoming technologies. *Nature Communications*, 2024. 15(1): p. 4597.
5. Ali, S., Where do we stand in AI for endoscopic image analysis? Deciphering gaps and future directions. *npj Digital Medicine*, 2022. 5(1): p. 184.
6. Simpson, A.K., et al., Spinal endoscopy: evidence, techniques, global trends, and future projections. *The Spine Journal*, 2022. 22(1): p. 64-74.
7. Hussain, I., A.T. Yeung, and M.Y. Wang, Challenges in spinal endoscopy. *World neurosurgery*, 2022. 160: p. 132-137.
8. Gunjotikar, S., et al., Evolution, current trends, and latest advances of endoscopic spine surgery. *Journal of Clinical Medicine*, 2024. 13(11): p. 3208.
9. Lohre, R., et al., Virtual reality in spinal endoscopy: a paradigm shift in education to support spine surgeons. *Journal of Spine Surgery*, 2020. 6(Suppl 1): p. S208.
10. Mohiuddin, K. and S.J. Swanson, Maximizing the benefit of minimally invasive surgery. *Journal of Surgical Oncology*, 2013. 108(5): p. 315-319.
11. Bogunovic, L., et al., Why do hip arthroscopy procedures fail? *Clinical Orthopaedics and Related Research®*, 2013. 471: p. 2523-2529.
12. Katz, J.N., S.A. Brownlee, and M.H. Jones, The role of arthroscopy in the management of knee osteoarthritis. *Best Practice & Research Clinical Rheumatology*, 2014. 28(1): p. 143-156.
13. Huri, G., et al., The Evolution of Arthroscopic Shoulder Surgery: Current Trends and Future Perspectives. *Journal of Clinical Medicine*, 2025. 14(7): p. 2405.
14. Crimmins, I.M., M.K. Mulcahey, and M.J. O'Brien, Diagnostic Shoulder Arthroscopy: Surgical Technique. *Arthrosc Tech*, 2019. 8(5): p. e443-e449.
15. Rudiman, R., Minimally invasive gastrointestinal surgery: From past to the future. *Annals of Medicine and Surgery*, 2021. 71: p. 102922.
16. Wu, M.H., et al., The minimally invasive endoscopic technique for the treatment of symptomatic benign bone lesions: Preliminary results from a retrospective study. *J Bone Oncol*, 2020. 24: p. 100313.
17. Shim, K.W., et al., Neuroendoscopy: Current and Future Perspectives. *J Korean Neurosurg Soc*, 2017. 60(3): p. 322-326.
18. Li, C., et al., Application of endoscopic endonasal approach in skull base surgeries: summary of 1886 cases in a single center for 10 consecutive years. *Chinese Neurosurgical Journal*, 2020. 6(1): p. 21.
19. Martinez, N.L., O. Khanna, and C.J. Farrell, A narrative review of targeted therapy in meningioma, pituitary adenoma, and craniopharyngioma of the skull base. *Chinese Clinical Oncology*, 2020. 9(6): p. 75.
20. Schroeder, H., Part I: General Principles and Intraventricular Neuroendoscopy-Endoscopic Techniques. *World neurosurgery*, 2012. 79.
21. Cappabianca, P., et al., Application of neuroendoscopy to intraventricular lesions. *Neurosurgery*, 2008. 62 Suppl 2: p. 575-97; discussion 597.
22. Schwartz, T.H., P.F. Morgenstern, and V.K. Anand, Lessons learned in the evolution of endoscopic skull base surgery. *J Neurosurg*, 2019. 130(2): p. 337-346.
23. Kasemsiri, P., et al., Advantages and Limitations of Endoscopic Endonasal Approaches to the Skull Base. *World neurosurgery*, 2014. 82: p. S12-S21.
24. Jarmula, J., et al., The Current State of Visualization Techniques in Endoscopic Skull Base Surgery. *Brain Sciences*, 2022. 12(10): p. 1337.
25. Barbeiro, S., et al., Narrow-Band Imaging: Clinical Application in Gastrointestinal Endoscopy. *GE Port J Gastroenterol*, 2018. 26(1): p. 40-53.
26. Tang, Y., S. Anandasabapathy, and R. Richards-Kortum, Advances in optical gastrointestinal endoscopy: a technical review. *Mol Oncol*, 2021. 15(10): p. 2580-2599.
27. Lee, S.H., et al., Technical skills and training of upper gastrointestinal endoscopy for new beginners. *World J Gastroenterol*, 2015. 21(3): p. 759-85.
28. Wang, K.K., G. Prasad, and J. Tian, Endoscopic mucosal resection and endoscopic submucosal dissection in esophageal and gastric cancers. *Curr Opin Gastroenterol*, 2010. 26(5): p. 453-8.
29. Tada, N. and K. Sumiyama, Robotic Platforms for Therapeutic Flexible Endoscopy: A Literature Review. *Diagnostics*, 2024. 14(6): p. 595.
30. Fantin, A., et al., Endoscopic Technologies for Peripheral Pulmonary Lesions: From Diagnosis to Therapy. *Life (Basel)*, 2023. 13(2).
31. Ferioli, M., M. Romagnoli, and P. Candoli, Editorial: Advances in bronchoscopic techniques for the diagnosis of lung cancer. *Front Oncol*, 2024. 14: p. 1428006.
32. Peng, Y.-Y., et al., Flexible Bronchoscopy as a Valuable Diagnostic and Therapeutic Tool in Pediatric Intensive Care Patients: A Report on 5 Years of Experience. *Pediatric pulmonology*, 2011. 46: p. 1031-7.
33. Raoof, S., S. Mehrishi, and U.B. Prakash, ROLE OF BRONCHOSCOPY IN MODERN MEDICAL INTENSIVE CARE UNIT. *Clinics in Chest Medicine*, 2001. 22(2): p. 241-261.
34. Bex, A. and B. Mathon, Advances, technological innovations, and prospects in stereotactic brain biopsies. *Neurosurgical Review*, 2022. 46(1): p. 5.
35. Jalal, A.H., et al., Early diagnosis with alternative approaches: innovation in lung cancer care. *Shanghai Chest*, 2021. 5.
36. Clayman, M., et al., Comparison of guide wires in urology. Which, when and why? *The Journal of*

- Urology, 2004. 171: p. 2146-50.
37. Giusti, G., et al., Current standard technique for modern flexible ureteroscopy: tips and tricks. *European urology*, 2016. 70(1): p. 188-194.
38. Doizi, S. and O. Traxer, Flexible ureteroscopy: technique, tips and tricks. *Urolithiasis*, 2018. 46: p. 47-58.
39. Zeinelabden, K.M., et al., Flexible ureteroscopy, extracorporeal shock wave lithotripsy and mini percutaneous nephrolithotomy for management of lower pole renal hard stones ≤ 2 cm: a prospective randomized study. *BMC Urology*, 2024. 24(1): p. 288.
40. Wang, J.W. and L.B. Man, Transurethral resection of the prostate stricture management. *Asian J Androl*, 2020. 22(2): p. 140-144.
41. Levy, L. and J. Tsaltas, Recent advances in benign gynecological laparoscopic surgery. *Fac Rev*, 2021. 10: p. 60.
42. Vitale, S.G., et al., Hysteroscopy: where did we start, and where are we now? The compelling story of what many considered the "Cinderella" of gynecological endoscopy. *Archives of Gynecology and Obstetrics*, 2024. 310(4): p. 1877-1888.
43. Levy, L. and J. Tsaltas, Recent advances in benign gynecological laparoscopic surgery. *Faculty Reviews*, 2021. 10.
44. Ott, J., et al., Entry techniques in gynecologic laparoscopy—a review. *Gynecological Surgery*, 2012. 9(2): p. 139-146.
45. Smith, P.P. and T.J. Clark, Operative Hysteroscopy, in *Handbook of Gynecology*, D. Shoupe, Editor. 2020, Springer International Publishing: Cham. p. 1-26.
46. Vahdat, M., et al., Hysteroscopic polypectomy with endometrial resection preventing the recurrence of endometrial polyps: A single-blinded randomized clinical trial. *Caspian J Intern Med*, 2022. 13(2): p. 393-397.
47. Smith, P.P. and T.J. Clark, Operative Hysteroscopy, in *Handbook of Gynecology*, D. Shoupe, Editor. 2023, Springer International Publishing: Cham. p. 719-743.
48. Siegler, A.M., Gynecologic endoscopy in infertility. *Obstet Gynecol Clin North Am*, 1987. 14(4): p. 1015-35.
49. Guo, X.C. and J.H. Segars, The impact and management of fibroids for fertility: an evidence-based approach. *Obstet Gynecol Clin North Am*, 2012. 39(4): p. 521-33.
50. Lacconi, V., et al., When the Embryo Meets the Endometrium: Identifying the Features Required for Successful Embryo Implantation. *International Journal of Molecular Sciences*, 2024. 25(5): p. 2834.
51. Yu, D., et al., Asherman syndrome—one century later. *Fertility and Sterility*, 2008. 89(4): p. 759-779.
52. Penzias, A., et al., Removal of myomas in asymptomatic patients to improve fertility and/or reduce miscarriage rate: a guideline. *Fertility and Sterility*, 2017. 108(3): p. 416-425.
53. Browning, C.M., et al., Endoscopy Lifetime Systems Architecture: Scoping Out the Past to Diagnose the Future Technology. *Systems*, 2022. 10(5): p. 189.
54. Wilson, R.B. and Y. Farooque, Risks and Prevention of Surgical Site Infection After Hernia Mesh Repair and the Predictive Utility of ACS-NSQIP. *J Gastrointest Surg*, 2022. 26(4): p. 950-964.
55. Alian, A., et al., Current Engineering Developments for Robotic Systems in Flexible Endoscopy. *Techniques and Innovations in Gastrointestinal Endoscopy*, 2023. 25(1): p. 67-81.
56. Boini, A., et al., Scoping review: autonomous endoscopic navigation. *Artificial Intelligence Surgery*, 2023. 3: p. 233-48.
57. Richter, A., et al., Advances in Real-Time 3D Reconstruction for Medical Endoscopy. *Journal of Imaging*, 2024. 10(5): p. 120.
58. Albrecht, T., et al., Three-dimensional endoscopic visualization in functional endoscopic sinus surgery. *Eur Arch Otorhinolaryngol*, 2016. 273(11): p. 3753-3758.
59. Banerjee, R. and D. Reddy, Advances in endoscopic imaging: Advantages and limitations. *Journal of Digestive Endoscopy*, 2012. 3: p. 7.
60. Simaan, N., R. Yasin, and L. Wang, Medical Technologies and Challenges of Robot-Assisted Minimally Invasive Intervention and Diagnostics. *Annual Review of Control, Robotics, and Autonomous Systems*, 2018. 1.
61. 30th International Congress of the European Association for Endoscopic Surgery (EAES) Kraków, Poland, 5–8 July 2022. *Surgical Endoscopy*, 2023. 37(1): p. 1-204.
62. Pannala, R., et al., Artificial intelligence in gastrointestinal endoscopy. *VideoGIE*, 2020. 5(12): p. 598-613.
63. Nie, Z., et al., A Review of Application of Deep Learning in Endoscopic Image Processing. *Journal of Imaging*, 2024. 10(11): p. 275.
64. Popovic, D., et al., The Importance of Artificial Intelligence in Upper Gastrointestinal Endoscopy. *Diagnostics*, 2023. 13(18): p. 2862.
65. Stone, B.K., et al., Development of an Endoscopic Spine Surgery Program: Overview and Basic Considerations for Implementation. *JB JS Open Access*, 2023. 8(3).
66. Vassiliou, M., et al., Fundamentals of endoscopic surgery: Creation and validation of the hands-on test. *Surgical endoscopy*, 2013. 28.
67. St John, A., et al., The Rise of Minimally Invasive Surgery: 16-Year Analysis of the Progressive Replacement of Open Surgery with Laparoscopy. *Jsls*, 2020. 24(4).
68. Chatterjee, S., et al., Advancements in robotic surgery: innovations, challenges, and future prospects. *Journal of Robotic Surgery*, 2024. 18.
69. Siddaiah-Subramanya, M., K.W. Tiang, and M. Nyandowe, A New Era of Minimally Invasive Surgery: Progress and Development of Major Technical Innovations in General Surgery Over the Last Decade. *Surg J (N Y)*, 2017. 3(4): p. e163-e166.
70. Aggarwal, R., et al., Training and simulation for patient safety. *Quality & safety in health care*, 2010. 19 Suppl 2: p. i34-43.
71. Thomson, S., C. Hair, and G.K. Oyeleke, Outside the Training Paradigm: Challenges and Solutions

- for Endoscopy Provision in Resource-Limited Settings. *Techniques and Innovations in Gastrointestinal Endoscopy*, 2024. 26(3): p. 270-282.
72. Al-Moussally, F., E.L. Fogel, and P.R. Helft, An ethical analysis of endoscopic therapy decision-making in patients with refractory substance use disorder and chronic pancreatitis. *Pancreatology*, 2022. 22(6): p. 671-677.
 73. Helmers, R., et al., Overall Cost Comparison of Gastrointestinal Endoscopic Procedures With Endoscopist- or Anesthesia-Supported Sedation by Activity-Based Costing Techniques. *Mayo Clinic Proceedings: Innovations, Quality & Outcomes*, 2017. 1: p. 234-241.
 74. American College of Physicians Ethics Manual. *Annals of Internal Medicine*, 2019. 170(2_Supplement): p. S1-S32.
 75. Pugel, A.E., et al., Use of the surgical safety checklist to improve communication and reduce complications. *J Infect Public Health*, 2015. 8(3): p. 219-25.
 76. Dinesh, H., R. S, and S. Kumar V, Surgical safety checklist implementation and its impact on patient safety. *International Surgery Journal*, 2018. 5: p. 3640.
 77. Akdeniz, M., B. Yardımcı, and E. Kavukcu, Ethical considerations at the end-of-life care. *SAGE Open Med*, 2021. 9: p. 20503121211000918.
 78. Welie, J.V.M., and H.A.M.J. ten Have, The ethics of forgoing life-sustaining treatment: theoretical considerations and clinical decision making. *Multidisciplinary Respiratory Medicine*, 2014. 9(1): p. 14.
 79. Tang, K., et al., Background, techniques, applications, current trends, and future directions of minimally invasive endoscopic spine surgery: A review of the literature. *World J Orthop*, 2023. 14(4): p. 197-206.
 80. Yuh, W.T., et al., Future of Endoscopic Spine Surgery: Insights from Cutting-Edge Technology in the Industrial Field. *Bioengineering (Basel)*, 2023. 10(12).
 81. Huang, J.G. and P. Tanpowpong, Paediatric gastrointestinal endoscopy in the Asian-Pacific region: Recent advances in diagnostic and therapeutic techniques. *World J Gastroenterol*, 2023. 29(18): p. 2717-2732.
 82. Femi, P., et al., Advancements in Endoscopic Techniques for Early Detection and Minimally Invasive Treatment of Gastrointestinal Cancers: A Review of Diagnostic Accuracy, Clinical Outcomes, and Technological Innovations. 2024.